


110gr



30,000 h | 175-260V~ 50-60Hz | 0.90 | 270° | Ra ≥80 | SDCM < 6 | <0,5s starting time | Warm-up Time <0,5s | On/Off > 15,000 (1' on / 3' off) | AT 6000h LLMF > 0.90 LSF > 0.90 | Hg Free | Pb Free | FREE | CE

Ordercode	Base	Power	CCT	luminous flux	max intensity	EAN13	Laser Optical Reading
A60-2708C	E27	8W	3000K	840lm	220cd	8059617678036	
A60-2708D	E27	8W	4200K	860lm	230cd	8059617678043	
A60-2708F	E27	8W	6400K	880lm	240cd	8059617678050	
A60-2712C	E27	12W	3000K	1040lm	290cd	8059617678043	
A60-2712D	E27	12W	4200K	1060lm	300cd	8059617678050	
A60-2712F	E27	12W	6400K	1080lm	310cd	8059617678043	
A60-2715C	E27	15W	3000K	1350lm	350cd	8059617678050	
A60-2715D	E27	15W	4200K	1400lm	360cd	8059617678043	
A60-2715F	E27	15W	6400K	1400lm	360cd	8059617678050	

Inner Box _ 10 pcs




EAN13	Laser Optical Reading
A60-2708C 8033638776773	
A60-2708D 8033638778265	
A60-2708F 8033638774540	
A60-2712C 8033638774564	
A60-2712D 8033638774595	
A60-2712F 8033638774632	
A60-2715C 8033638773642	
A60-2715D 8033638773659	
A60-2715F 8033638773666	

Outer Box _ 50 pcs




EAN13	Laser Optical Reading
A60-2708C 8033638776780	
A60-2708D 8033638774533	
A60-2708F 8033638774557	
A60-2712C 8033638774571	
A60-2712D 8033638774601	
A60-2712F 8033638774649	
A60-2715C 8033638772539	
A60-2715D 8033638772546	
A60-2715F 8033638778937	

L:33cm _ H:14cm _ P:67cm - Kg 8



80gr



Ordercode	Base	Power	CCT	luminous flux	cover	EAN13	Laser Optical Reading
A60-12708C	E27	8W	3000K	650lm	unbreakable PC	8033638777800	
A60-12708D	E27	8W	4200K	700lm	unbreakable PC	8033638774359	
A60-12708F	E27	8W	6400K	700lm	unbreakable PC	8033638779842	
A60-12710C	E27	10W	3000K	900lm	unbreakable PC	8059617679279	
A60-12710D	E27	10W	4200K	950lm	unbreakable PC	8059617679286	
A60-12710F	E27	10W	6400K	950lm	unbreakable PC	8059617679293	
A60-12712C	E27	12W	3000K	1000lm	unbreakable PC	8033638772409	
A60-12712D	E27	12W	4200K	1100lm	unbreakable PC	8033638772416	
A60-12712F	E27	12W	6400K	1100lm	unbreakable PC	8033638772423	



Inner Box **_ 10 pcs**




	EAN13	Laser Optical Reading
A60-12708C	8033638779552	
A60-12708D	8033638775547	
A60-12708F	8033638779644	
A60-12710C	8033638774670	
A60-12710D	8033638774694	
A60-12710F	8033638776490	
A60-12712C	8033638775943	
A60-12712D	8033638772669	
A60-12712F	8033638775950	



Outer Box **_ 50 pcs**

	EAN13	Laser Optical Reading
A60-12708C	8033638772621	
A60-12708D	8033638770634	
A60-12708F	8033638770665	
A60-12710C	8033638774687	
A60-12710D	8033638776483	
A60-12710F	8033638776506	
A60-12712C	8033638778944	
A60-12712D	8033638778951	
A60-12712F	8033638778968	

L.33cm _ H.12cm _ P.67cm - Kg 7



30.000 h
175-250V~ 50-60Hz
λ 0.50
240°
Ra ≥ 80
SDCM < 6
< 0,5s starting time
Warm-up Time < 0,5s
On/Off > 15,000 (1 on / 3 off)
AT 6000h LLMF ≥ 0.90 LSF ≥ 0.90
Free Hg
Free Pb
FREE UV
CE

Ordercode	Base	Power	CCT	luminous flux	max intensity	EAN13	Laser Optical Reading
C37C-1406C	E14	6W	3000K	540lm	93cd	8059617678005	
C37C-1406D	E14	6W	4200K	560lm	95cd	8059617678012	
C37C-1406F	E14	6W	6400K	580lm	99cd	8059617678005	



Inner Box _ 10 pcs


EAN13	Laser Optical Reading
C37C-1406C 8033638772492	
C37C-1406D 8033638775097	
C37C-1406F 8033638775103	




Outer Box _ 50 pcs

EAN13	Laser Optical Reading
C37C-1406C 8033638770054	
C37C-1406D 8033638770092	
C37C-1406F 8033638776865	

L.21,5cm _ H.14cm _ P.45,5cm - Kg 4



30gr



Ordercode	Base	Power	CCT	luminous flux	cover	EAN13	Laser Optical Reading
C37CPA-1403C	E14	3W	3000K	250lm	unbreakable PC	8033638776667	
C37CPA-1403D	E14	3W	4200K	260lm	unbreakable PC	8033638776674	
C37CPA-1403F	E14	3W	6400K	260lm	unbreakable PC	8033638776568	
C37CPA-1405C	E14	5W	3000K	450lm	unbreakable PC	8059617679187	
C37CPA-1405D	E14	5W	4200K	480lm	unbreakable PC	8059617679194	
C37CPA-1405F	E14	5W	6400K	480lm	unbreakable PC	8059617679200	
C37CPA-1407C	E14	7W	3000K	580lm	unbreakable PC	8033638776155	
C37CPA-1407D	E14	7W	4200K	600lm	unbreakable PC	8033638776162	
C37CPA-1407F	E14	7W	6400K	600lm	unbreakable PC	8033638776193	



Inner Box _ 10 pcs

	EAN13	Laser Optical Reading
C37CPA-1403C	8033638779576	
C37CPA-1403D	8033638776391	
C37CPA-1403F	8033638779675	
C37CPA-1405C	8033638774779	
C37CPA-1405D	8033638775615	
C37CPA-1405F	8033638776889	
C37CPA-1407C	8059617670658	
C37CPA-1407D	8059617670665	
C37CPA-1407F	8033638770986	






Outer Box _ 50 pcs

	EAN13	Laser Optical Reading
C37CPA-1403C	8033638772614	
C37CPA-1403D	8033638776353	
C37CPA-1403F	8033638776377	
C37CPA-1405C	8033638775608	
C37CPA-1405D	8033638771266	
C37CPA-1405F	8033638774786	
C37CPA-1407C	8033638778142	
C37CPA-1407D	8033638778159	
C37CPA-1407F	8033638775028	

L.22cm _ H.14cm _ P.46cm - Kg 4

Led Lamps > Official Serie > Micro Globe



30.000 h
175-250V~ 50-60Hz
λ 0.50
160°
Ra ≥ 80
SDCM < 6
< 0,5s starting time
Warm-up Time < 0,5s
On/Off > 15,000 (1 on / 3 off)
AT 6000h LLMF ≥ 0.90 LSF ≥ 0.90
Hg Free
Pb Free
UV FREE
CE

Ordercode	Base	Power	CCT	luminous flux	max intensity	EAN13	Laser Optical Reading
G45-1406C	E14	6W	3000K	560lm	134cd	8059617678067	
G45-2706C	E27	6W	3000K	560lm	134cd	8059617678098	
G45-1406D	E14	6W	4200K	580lm	144cd	8059617678074	
G45-2706D	E27	6W	4200K	580lm	144cd	8059617678104	
G45-1406F	E14	6W	6400K	600lm	144cd	8059617678081	
G45-2706F	E27	6W	6400K	600lm	144cd	8059617678111	



Inner Box _ 10 pcs

EAN13	Laser Optical Reading
G45-1406C 8033638770207	
G45-2706C 8033638775219	
G45-1406D 8033638770221	
G45-2706D 8033638770283	
G45-1406F 8033638770245	
G45-2706F 8033638770306	





Outer Box _ 50 pcs

EAN13	Laser Optical Reading
G45-1406C 8033638774878	
G45-2706C 8033638774892	
G45-1406D 8033638774885	
G45-2706D 8033638774908	
G45-1406F 8033638770252	
G45-2706F 8033638770313	


L.25,5cm _ H.11cm _ P.52cm - Kg 5

Led Lamps > Filament Serie > Olive Decorative Old Fashion




30,000 h	175-250V~ 50-60Hz	λ 0.50	320°	Ra ≥ 78	SDCM < 6	< 0,5s starting time	Warm-up Time < 0,5s	On/Off > 15,000 (1 on / 3 off)	AT 6000h LLMF ≥ 0.90 LSF ≥ 0.90		Hg Free	Pb Free	UV FREE		
----------	-------------------	----------------	------	--------------	----------	----------------------	---------------------	--------------------------------	---	--	---------	---------	---------	--	--



Ordercode	Base	Power	CCT	luminous flux	cover	EAN13	Laser Optical Reading
HCFL-1404A	E14	4W	2200K	400lm	gold glass	8059617670535	



	Inner Box _ 10 pcs		Outer Box _ 50 pcs
EAN13	Laser Optical Reading	EAN13	Laser Optical Reading
HCFL-1404A 8033638776827		HCFL-1404A 8033638771747	
L.21cm _ H.13cm _ P.42cm - Kg 2			



60gr



30.000 h 12Vac/dc λ 100° Ra ≥80 SDCM < 6 starting time Warm-up Time < 0,5s On/Off (1'on / 3' off) AT 6000h LLMF > 0.90 LSF > 0.90 Hg Free Pb Free FREE CE

Ordercode	Base	Power	CCT	luminous flux	max intensity	EAN13	Laser Optical Reading
MR16-537100C	G5.3	7W	3000K	560lm	230cd	8059617678487	
MR16-537100D	G5.3	7W	4200K	580lm	240cd	8059617678494	
MR16-537100F	G5.3	7W	6400K	600lm	250cd	8059617678500	

Inner Box _ 10 pcs





EAN13	Laser Optical Reading
MR16-537100C 8033638770948	
MR16-537100D 8033638770962	
MR16-537100F 8033638774809	

Outer Box _ 50 pcs



EAN13	Laser Optical Reading
MR16-537100C 8033638770955	
MR16-537100D 8033638770979	
MR16-537100F 8033638775424	

L.28cm _ H.12cm _ P.36cm - Kg 4



30,000 h
175-260V-50-60Hz
0.55
120°
Ra ≥ 80
SDCM < 6
< 0,5s starting time
Warm-up Time < 0,5s
On/Off > 15,000 (1' on / 3' off)
AT 6000h LLMF > 0.90 LSF > 0.90
Hg Free
Pb Free
FREE
CE

Ordercode	Base	Power	CCT	luminous flux	max intensity	EAN13	Laser Optical Reading
R63-2711C	E27	11W	3000K	980lm	310cd	8059617678456	
R63-2711D	E27	11W	4200K	1000lm	320cd	8059617678463	
R63-2711F	E27	11W	6400K	1020lm	330cd	8059617678470	

Inner Box _ **10 pcs**



EAN13	Laser Optical Reading
R63-2711C 8059617670382	
R63-2711D 8059617670405	
R63-2711F 8059617670283	

Outer Box _ **50 pcs**



EAN13	Laser Optical Reading
R63-2711C 8059617670399	
R63-2711D 8059617670320	
R63-2711F 8059617670290	

L.35cm _ H.13cm _ P.70cm - Kg 7,5